# **PARTS MANUAL**



# **MODELS**

CS403016 CS403020 CS403026 CS403030

# PAVEMENT SAW (DEUTZ F2L2011 DIESEL ENGINE)

Revision #0 (02/29/08)

To find the latest revision of this publication, visit our website at: www.multiquip.com



THIS MANUAL MUST ACCOMPANY THE EQUIPMENT AT ALL TIMES.



### **CALIFORNIA** — Proposition 65 Warning

Engine exhaust and some of its constituents, and some dust created by power sanding, sawing, grinding, drilling and other construction activities contains chemicals known to the State of California to cause cancer, birth defects and other reproductive harm. Some examples of these chemicals are:

- Lead from lead-based paints.
- Crystalline silica from bricks.
- Cement and other masonry products.
- Arsenic and chromium from chemically treated lumber.

Your risk from these exposures varies, depending on how often you do this type of work. To reduce your exposure to these chemicals: <u>ALWAYS</u> work in a well ventilated area, and work with approved safety equipment, such as dust masks that are specially designed to filter out microscopic particles.

# AWARNING



### SILICOSIS WARNING

Grinding/cutting/drilling of masonry, concrete, metal and other materials with silica in their composition may give off dust or mists containing crystalline silica. Silica is a basic component of sand, quartz, brick clay, granite and numerous other minerals and rocks. Repeated and/or substantial inhalation of airborne crystalline silica can cause serious or fatal respiratory diseases, including silicosis. In addition, California and some other authorities have listed respirable crystalline silica as a substance known to cause cancer. When cutting such materials, always follow the respiratory precautions mentioned above.

# **AWARNING**



### RESPIRATORY HAZARDS

Grinding/cutting/drilling of masonry, concrete, metal and other materials can generate dust, mists and fumes containing chemicals known to cause serious or fatal injury or illness, such as respiratory disease, cancer, birth defects or other reproductive harm. If you are unfamiliar with the risks associated with the particular process and/or material being cut or the composition of the tool being used, review the material safety data sheet and/or consult your employer, the material manufacturer/supplier, governmental agencies such as OSHA and NIOSH and other sources on hazardous materials. California and some other authorities, for instance, have published lists of substances known to cause cancer, reproductive toxicity, or other harmful effects.

Control dust, mist and fumes at the source where possible. In this regard use good work practices and follow the recommendations of the manufacturers or suppliers, OSHA/NIOSH, and occupational and trade associations. Water should be used for dust suppression when wet cutting is feasible. When the hazards from inhalation of dust, mists and fumes cannot be eliminated, the operator and any bystanders should always wear a respirator approved by NIOSH/MSHA for the materials being used.

### **CS4030 — STOW SAW**

| Proposition 65 Warning                | 2     |
|---------------------------------------|-------|
| Silicosis/Respirator Warnings         |       |
| Table of Contents                     |       |
| Parts Ordering Procedures             |       |
| Explanation Of Code In Remarks Column |       |
| Suggested Spare Parts                 |       |
| Nameplate and Decals                  |       |
| Control Panel Decals                  |       |
| Electrical Controls Assy              |       |
| Console Mounts Assy                   |       |
| Rear Console Access Panel Assy        |       |
| Light Connector/Dash Access Assy      |       |
| Belt and Engine Guards Assy           |       |
| Depth Indicator/Stop Switch Assy      |       |
| F-N-R Assy.                           |       |
| Fuel Assy.                            |       |
| Battery Assy                          |       |
| Handelbars Assy                       |       |
| Water System Assy                     |       |
| Engine Assy                           |       |
| Throttle Control Assy                 |       |
| Engine Mounts Assy                    |       |
| Lifting Bale & Air Cleaner Assy       |       |
| Platform Guards/Rear Pointer Assy     |       |
| Wheel Drive Assy                      |       |
| Front Axle Assy.                      | 46-47 |
| Hydraulic System Assy                 | 48-49 |
| Hydraulic Hoses and Fittings Assy     |       |
| Front Pointer Assy                    |       |
| Belt Drive Assy                       | 54-55 |
| Drive Pulley Assy                     |       |
| Blade Shaft Assy                      |       |
| 16", 20", 26" Blade Guard Assy        |       |
| 30" Blade Guard Assy                  |       |
| Terms and Conditions of Sala          | 65    |



Specifications are subject to change without notice.

# www.stownfg

# Ordering parts has never been easier! Choose from three easy options:

Effective: January 1st, 2006



### Order via Internet (Dealers Only):

Order parts on-line using Multiquip's SmartEquip website!

- View Parts Diagrams
- Order Parts
- Print Specification Information



If you have an MQ Account, to obtain a Username and Password, E-mail us at: parts@multiquip.com.

To obtain an MQ Account, contact your District Sales Manager for more information.

Goto www.multiquip.com and click on Order Parts to log in and save!

Use the *internet* and qualify for a 5% **Discount** on *Standard orders* for all orders which include complete part numbers.\*

Note: Discounts Are Subject To Change



### Order via Fax (Dealers Only):

All customers are welcome to order parts via Fax. **Domestic (US) Customers dial:** 1-800-6-PARTS-7 (800-672-7877)

*Fax* your order in and qualify for a **2% Discount** on *Standard orders* for all orders which include complete part numbers.\*

Note: Discounts Are Subject To Change



Order via Phone:

Domestic (US) Dealers Call:

1-800-427-1244

### Non-Dealer Customers:

Contact your local Multiquip Dealer for parts or call 800-427-1244 for help in locating a dealer near you.



International Customers should contact their local Multiquip Representatives for Parts Ordering information.

### When ordering parts, please supply:

- Dealer Account Number
- Dealer Name and Address
- ☐ Shipping Address (if different than billing address)
- Return Fax Number
- Applicable Model Number
- Quantity, Part Number and Description of Each Part
- ☐ Specify Preferred Method of Shipment:
  - ✓ UPS/Fed Ex
- ✓ DHL ✓ Truck
- Priority One
- Ground■ Next Day
- Second/Third Day

All orders are treated a

All orders are treated as *Standard Orders* and will ship the same day if received prior

All orders are and will shipt to 3PM PST.

### **WE ACCEPT ALL MAJOR CREDIT CARDS!**











## **EXPLANATION OF CODE IN REMARKS COLUMN**

The following section explains the different symbols and remarks used in the Parts section of this manual. Use the help numbers found on the back page of the manual if there are any questions.

The contents and part numbers listed in the parts section are subject to change *without notice*. Multiquip does not guarantee the availability of the parts listed.

### Sample Parts List:

| <u>NO.</u> | PART NO. | PART NAME       | QTY. | <u>REMARKS</u>        |
|------------|----------|-----------------|------|-----------------------|
| 1          | 12345    | BOLT            | 1    | . INCLUDES ITEMS W/*  |
| 2*         |          | WASHER, 1/4 IN. |      | . NOT SOLD SEPARATELY |
| 2*         | 12347    | WASHER, 3/8 IN. | 1    | . MQ-45T ONLY         |
| 3          | 12348    | HOSE            | A/R  | . MAKE LOCALLY        |
| 4          | 12349    | BEARING         | 1    | . S/N 2345B AND ABOVE |

### NO. Column

**Unique Symbols** - All items with same unique symbol (\*, #, +, %, or >) in the number column belong to the same assembly or kit, which is indicated by a note in the "Remarks" column.

**Duplicate Item Numbers** - Duplicate numbers indicate multiple part numbers are in effect for the same general item, such as different size saw blade guards in use or a part that has been updated on newer versions of the same machine.



When ordering a part that has more than one item number listed, check the remarks column for help in determining the proper part to order.

### **PART NO. Column**

**Numbers Used** - Part numbers can be indicated by a number, a blank entry, or TBD.

TBD (To Be Determined) is generally used to show a part that has not been assigned a formal part number at time of publication.

A blank entry generally indicates that the item is not sold separately or is not sold by Multiquip. Other entries will be clarified in the "Remarks" Column.

### QTY. Column

**Numbers Used** - Item quantity can be indicated by a number, a blank entry, or A/R.

A/R (As Required) is generally used for hoses or other parts that are sold in bulk and cut to length.

A blank entry generally indicates that the item is not sold separately. Other entries will be clarified in the "Remarks" Column.

### **REMARKS Column**

Some of the most common notes found in the "Remarks" Column are listed below. Other additional notes needed to describe the item can also be shown.

**Assembly/Kit** - All items on the parts list with the same unique symbol will be included when this item is purchased.

Indicated by:

"INCLUDES ITEMS W/(unique symbol)"

**Serial Number Break** - Used to list an effective serial number range where a particular part is used.

Indicated by:

"S/N XXXXX AND BELOW"

"S/N XXXX AND ABOVE"

"S/N XXXX TO S/N XXX"

**Specific Model Number Use** - Indicates that the part is used only with the specific model number or model number variant listed. It can also be used to show a part is NOT used on a specific model or model number variant.

Indicated by:

"XXXXX ONLY"

"NOT USED ON XXXX"

"Make/Obtain Locally" - Indicates that the part can be purchased at any hardware shop or made out of available items. Examples include battery cables, shims, and certain washers and nuts.

"Not Sold Separately" - Indicates that an item cannot be purchased as a separate item and is either part of an assembly/kit that can be purchased, or is not available for sale through Multiquip.

# SUGGESTED SPARE PARTS

### CS4030 STOW SAW

### 1 TO 3 UNITS WITH DEUTZ TURBO DIESEL ENGINE

| Qty. | P/N    | Description                       |
|------|--------|-----------------------------------|
|      |        | . SWITCH, TOGGLE F-N-R            |
| 1    | 37198  | . SWITCH, EMERGENCY STOP          |
| 1    | 406021 | . INDICATOR, ENGINE               |
|      |        | . SWITCH, ROLLER ARM              |
|      |        | . SWITCH, ROLLER PLUNGER          |
| 2    | 406000 | . SWITCH, ROCKER                  |
| 2    | 37131  | FRONT WHEEL                       |
|      | 37095  |                                   |
|      | 29509  |                                   |
|      |        | . GRIPS, HANDLEBAR                |
|      | H9406  |                                   |
| 1    | 15503  | . KNOB, COMFORT                   |
|      |        | SPRING, EXTENSION DEPTH INDICATOR |
|      |        | . BALL VALVE, FUEL                |
|      |        | . BALL VALVE, WATER SYSTEM        |
|      |        | . CLAMP, MUFFLER                  |
|      |        | . SPRING, WHEEL DRIVE             |
|      |        | . SPRING, HYDRAULIC SYSTEM        |
| 2    | 15538  | . CLAMP, WORM HOSE                |
|      | 574003 |                                   |
| 1    | 37212  | THROTTLE ASSEMBLY                 |


### ENGINE PARTS FOR DEUTZ TURBO DIESEL ENGINE

| 2 1174416   | OIL FILTER, DEUTZ               |
|-------------|---------------------------------|
| 2 1174696   | FUEL FILTER, DEUTZ              |
| 2 P772579   | PRIMARY AIR FILTER ELEMENT      |
| 2 P775300   | SAFETY AIR FILTER, DEUTZ        |
| 2 21004-003 | FAN BELT, AX-35                 |
| 2 37577     | DRIVE BELT, 6G 3VX-500 OPTIBELT |
| 1 406017    | IGNITION SWITCH, W/KEY          |
| 2 406017-1  | KEY, IGNITION                   |



Part numbers on this Suggested Spare Parts List may supercede/replace the P/N's shown in the test pages of this manual.

# NAMEPLATES AND DECALS




# NAMEPLATES AND DECALS

### NAMEPLATES AND DECALS

| NO. | PART NO.  | PART NAME                             | QTY.  | <u>REMARKS</u>        |
|-----|-----------|---------------------------------------|-------|-----------------------|
| 1   | 25491     | DECAL, BLADE ROTATION CW              | 1     | . SAFETY ITEM         |
| 2   | 37744     | DECAL, STOW CS4030                    | 3     |                       |
| 3   | 37516     | DECAL, REFLECTIVE TAPE 1" YELLOW      | 4.375 | . SAFETY ITEM         |
| 4   |           | SERIAL TAG                            | 1     | . CONTACT PARTS DEPT. |
| 5   | M600002   | DECAL, DIESEL FUEL ONLY               | 1     |                       |
| 6   | 606004    | DECAL, GUARD REMOVAL                  | 2     | . SAFETY ITEM         |
| 7   | 37161     | DECAL, HOT ISO HI-TEMPERATURE         | 2     | . SAFETY ITEM         |
| 8   | 13118     | DECAL, POWDER COATED                  | 1     |                       |
| 9   | 20525     | DECAL, WARNING "PROP 65" 3.25 X 4.25  |       |                       |
| 10  | 36092     | DECAL, WARNING DIESEL FUEL 3.5 X 1.75 |       |                       |
| 11  | 36090     | DECAL, WARNING VENTILATION 2 X 4      | 1     | . SAFETY ITEM         |
| 12  | 11912     | DECAL, PATENT PENDING                 | 1     |                       |
| 13  | 23330-001 | DECAL, CAUTION BELT DRIVE             |       |                       |
| 14  | 35137     | DECAL, WARNING READ MANUAL            | 1     | . SAFETY ITEM         |
| 15  | 36099     | DECAL, PROTECTIVE CLOTHING ISO BLUE   | 1     | . SAFETY ITEM         |
| 16  | 37540     | DECAL, HYDRAULIC RESERVOIR            | 1     |                       |
| 17  | 21302     | DECAL, WARNING KEEP GUARDS IN PLACE   |       |                       |
| 18  | 22122-001 | DECAL, WARNING RX-W                   |       |                       |
| 19  | 25249-001 | DECAL, WARNING KEEP HANDS CLEAR       | 2     | . SAFETY ITEM         |
| 20  | 25250-001 | DECAL, WARNING KEEP FEET CLEAR        |       |                       |
| 21  | 25678     | DECAL, BLADE ROTATION CCW             | 1     | . SAFETY ITEM         |

# CONTROL PANEL DECALS

### **CONTROL PANEL DECALS**




# CONTROL PANEL DECALS

### **CONTROL PANEL DECALS**

| <u>NO.</u> | PART NO. | PART NAME                     | QTY. | <b>REMARKS</b> |
|------------|----------|-------------------------------|------|----------------|
| 1          | 37731    | DECAL, 4030 INSTRUMENT PANEL  | 1    |                |
| 2          | 37730    | DECAL, 4030 CONSOLE OPERATION | 1    |                |

# **ELECTRICAL CONTROL ASSY.**

### ELECTRICAL CONTROL ASSY.




# ELECTRICAL CONTROL ASSY.

### ELECTRICAL CONTROL ASSY.

| NO. | PART NO.  | PART NAME                            | QTY. | REMARKS              |
|-----|-----------|--------------------------------------|------|----------------------|
| 1   | 406000    | SWITCH, ROCKER CH# M-58031-01        | 2    |                      |
| 2   | 406017    | IGNITION SWITCH, WITH KEYS           | 1    | . INCLUDES ITEMS W/* |
| 3   | 37198     | EMERGENCY STOP SWITCH                | 1    | . SAFETY ITEM        |
| 4   | 37094     | SWITCH, TOGGLE SPDT MOMENTARY ON-ON  | 1    |                      |
| 5   | 37203     | SWITCH, SNAP ACTION ROLLER PLUNGER   | 1    |                      |
| 6   | 37620     | HARNESS, RELAYS AND CIRCUIT BREAKERS | 1    |                      |
| 7   | 406021    | INDICATOR, ENGINE                    | 1    |                      |
| 8   | 37378     | SOLENOID, LIFT PUMP                  | 1    |                      |
| 9   | 933240    | WASHER, FLAT SAE 1/4 GRD 9 YZ        | 2    |                      |
| 10  | 405000    | CONNECTOR, 4-WAY SOCKET              | 1    |                      |
| 11  | 37368     | TACHOMETER, ELECTRIC 0-3000 RPM      | 1    |                      |
| 12  | 8381      | BOOT, TOGGLE SWITCH                  | 1    |                      |
| 13  | 406020    | BLANK, ROCKER SWITCH                 | 2    |                      |
| 14  | 973752    | SCREW, BHHC 1/4 - 20 X 5/8 SS        | 2    |                      |
| 15  | 37325     | SCREW, SHC M5 - 0.8 X 30MM           | 2    |                      |
| 16  | 37324     | NUT, NYLOC M5 - 0.8                  | 2    |                      |
| 17  | 28922-058 | WASHER, M5                           | 2    |                      |
| 18* | 406017-1  | KEY, IGNITION                        | 1    |                      |

### CONSOLE MOUNTS ASSY.




# CONSOLE MOUNTS ASSY.

### CONSOLE MOUNTS ASSY.

| NO. | PART NO.  | PART NAME                              | QTY. | <b>REMARKS</b> |
|-----|-----------|--|------|----------------|
| 1   | 20742     | ISOLATOR, RB2 RING/BUSHING             | 4    |                |
| 2   | 20743     | WASHER, ISO SNUB KROFUND DYN 148099-18 | 4    |                |
| 3   | 575001    | RUBBER ISOLATOR, TPC# 60166-1          | 4    |                |
| 4   | 37230     | MOUNT, ISOLATOR FRONT                  | 2    |                |
| 5   | 37232     | MOUNT, ISOLATOR SIDE                   | 2    |                |
| 6   | 37608-353 | MOUNT, CONSOLE ISOLATOR REAR           | 2    |                |
| 7   | 12832     | WASHER, SNUBBING                       | 4    |                |
| 8   | 06503-026 | SCREW, HHC 1/2 - 13 X 3-1/4            | 4    |                |
| 9   | 0300 A    | SCREW, HHC 5/16 - 18 X 2               | 4    |                |
| 10  | 37579-353 | CONSOLE W/A                            | 1    |                |
| 11  | 37193     | INSERT, ISOLATOR MOUNT                 | 4    |                |
| 12  | 0205      | SCREW, HHC 3/8 - 16 X 1                | 8    |                |
| 13  | 933242    | WASHER, FLAT SAE 3/8 GRD 9 YZ          | 8    |                |
| 14  | TBD       | SCREW                                  | 4    |                |
| 15  | TBD       | WASHER                                 | 4    |                |

# REAR CONSOLE ACCESS PANEL ASSY.

### REAR CONSOLE ACCESS PANEL ASSY.




# REAR CONSOLE ACCESS PANEL ASSY.

### REAR CONSOLE ACCESS PANEL ASSY.

| NO.        | PART NO.  | PART NAME                        | QTY. | <u>REMARKS</u>     |
|------------|-----------|----------------------------------|------|--------------------|
| 1*         | 10024     | NUT, NYLOC 1/4 X 20              | 4    |                    |
| 2*         | 10930     | WASHER, FENDER 1/4 X 1-1/4       | 4    |                    |
| 3*         | 12287     | SCREW, THP 1/4 - 20 X 3/4 SS     | 4    |                    |
| <b>4</b> * | 29057     | DOCUMENT BOX                     | 1    |                    |
| 5          | 37584     | STRIP, BACKING PLATE SAW CONSOLE | 1    |                    |
| 6          | 37220     | STRIP, VERTICAL SAW CONSOLE      | 2    |                    |
| 7 <b>*</b> | 37617-353 | PANEL, REAR SAW ACCESS           | 1    |                    |
| 8*         | 560020    | LATCH, REAR SAW ACCESS PANEL     | 2    |                    |
| 9          | 37616     | PANEL ASSEMBLY, REAR SAW ACCESS  | 1    | INCLUDES ITEMS W/* |

# LIGHT CONNECTOR/DASH ACCESS ASSY.




# LIGHT CONNECTOR/DASH ACCESS ASSY.

### LIGHT CONNECTOR/DASH ACCESS ASSY.

| NO.  | PART NO.  | PART NAME                           | QTY. | <u>REMARKS</u>     |
|------|-----------|-------------------------------------|------|--------------------|
| 1    | 0655      | SCREW, HHC 5/16 - 18 X 3/4          | 6    |                    |
| 2*   | 12171     | SEAL, WEATHERPACK 16-18 GA, GREEN   | 2    |                    |
| 3*   | 12176     | CONNECTOR, WEATHERPACK 2 PIN MALE   | 1    |                    |
| 4*   | 12179     | TERMINAL, WEATHERPACK MALE 14-16 GA | 2    |                    |
| 5    | 13287     | NUT, NYLOC 8-32                     | 2    |                    |
| 6    | 37333     | HARNESS, LIGHT KIT                  | 1    | INCLUDES ITEMS W/* |
| 7    | 37614-353 | COVER W/A, CONSOLE DASH ACCESS      | 1    |                    |
| 8    | 923114    | SCREW, SHC 8-32 X 1/2               | 2    |                    |
| 9    | 933241    | WASHER, FLAT SAE 5/16 GRD 9YZ       | 6    |                    |
| 10*  | 405000    | CONNECTOR, 4-WAY SOCKET CHROME      | 1    |                    |
| 11+# | 0161 C    | WASHER, LOCK 5/16 MED               | 2    |                    |
| 12+# | 0161 D    | NUT, HEX 5/16 - 18                  | 2    |                    |
| 13+# | 0300 A    | SCREW, HHC 5/16 - 18 X 2            | 1    |                    |
| 14+  | 2532      | LIGHT ASSEMBLY                      | 1    | INCLUDES ITEMS W/# |
| 15+  | 15503     | KNOB, COMFORT GRIP STAR             | 1    |                    |
| 16+  | 120206    | LIGHT BAR                           | 1    |                    |
| 17+  | 405001    | CONNECTOR PLUG, 4-PIN FEMALE        | 1    |                    |
| 18+  | 405002    | CORD, LIGHT EXTENDABLE              | 1    |                    |
| 19+  | H9406     | BULB, GE H9406                      | 1    |                    |
| 20   | M18004    | LIGHT KIT, SAW                      | 1    | INCLUDES ITEMS W/+ |
| 21+# | 11963     | BOLT, CARRIAGE 5/16 - 18 X 1        | 1    |                    |

BELT AND ENGINE GUARDS ASSY.




# BELT AND ENGINE GUARDS ASSY.

### BELT AND ENGINE GUARDS ASSY.

| NO. | PART NO.  | PART NAME                      | QTY. | <b>REMARKS</b> |
|-----|-----------|--------------------------------|------|----------------|
| 1   | 0166      | SCREW, HHC 3/8 - 16 X 7/8      | 5    |                |
| 3   | 15503     | KNOB, COMFORT                  | 1    |                |
| 4   | 37606-353 | GUARD, BELT DRIVE              | 1    | SAFETY ITEM    |
| 5   | 37610-353 | GUARD, ENGINE                  | 1    | SAFETY ITEM    |
| 8   | 584011    | WRENCH, 15/16 BLADE CLOSED END | 1    |                |
| 9   | 933242    | WASHER, FLAT SAE 3/8 GRD 9 YZ  | 5    |                |


# DEPTH INDICATOR/STOP SWITCH ASSY.



# DEPTH INDICATOR/STOP SWITCH ASSY.

### DEPTH INDICATOR/STOP SWITCH ASSY.

| NO. | PART NO. | PART NAME                               | QTY. | REMARKS |
|-----|----------|---|------|---------|
| 1   | 37598    | BASE, 4030 SAW DEPTH INDICATOR          | 1    |         |
| 2   | 560025   | KNOB, SAW DEPTH INDICATOR               | 1    |         |
| 3   | 110031   | POINTER, CONCRETE SAW DEPTH             | 1    |         |
| 4   | 583059   | SHIM, 0.375 OD X 0.25 ID X .020 THK     | 5    |         |
| 5   | 460019   | FLANGE, BEARING 0.25 ID X 0.75 OD       | 3    |         |
| 6   | 37155    | PULLEY, CABLE .75 OD                    | 1    |         |
| 7   | 37240    | PULLEY, CABLE .75 OD                    | 2    |         |
| 8   | 10024    | NUT, NYLOC 1/4 - 20                     | 5    |         |
| 9   | 37622    | STUD, 1/4 - 20 X 4" BLACK OXIDE         | 1    |         |
| 10  | 973752   | SCREW, BHSC 1/4 - 20 X 5/8 SS           | 2    |         |
| 11  | 37241    | SHAFT, DEPTH INDICATOR                  | 2    |         |
| 12  | 37332    | RING, 3/16 E-STYLE EXTERNAL             | 4    |         |
| 13  | 37404    | SLEEVE, 3/64 ROPE DIA.COMPRESSION       | 2    |         |
| 14  | 37922    | CABLE ASSY, DEPTH STOP                  | 1    |         |
| 15  | 37401    | SCREW, SH SHLDR 1/2-20, 5/16 OD X 1/4 L | 1    |         |
| 16  | 37736    | CAM, DEPTH STOP POINTER                 | 1    |         |
| 17  | 37600    | ARM, W/A, 4030 DEPTH STOP POINTER       | 1    |         |
| 18  | 21468    | KNOB, PLASTIC 1/4 - 20 X 1 STUD         | 1    |         |
| 19  | 37603    | POINTER, DEPTH STOP                     | 1    |         |
| 20  | 37605    | SPACER, DEPTH INDICATOR POINTER         | 2    |         |
| 21  | 37203    | SWITCH, SNAP ACTION ROLLER PLUNGER      | 1    |         |
| 22  | 37527    | SPRING, EXT625 OD X 2.5L X .053 M WIRE  | 1    |         |
| 23  | 37766    | SCREW, SHC 6-32 X 1.25                  | 2    |         |
| 24  | 1450     | WASHER, FLATSAE #6                      | 2    |         |
| 25  | 11152    | NUT, NYLOC 6-32                         | 2    |         |




# F-N-R ASSY.

### F-N-R ASSY.

| NO.        | PART NO.  | PART NAME                      | QTY. | REMARKS              |
|------------|-----------|--------------------------------|------|----------------------|
| 1*         | 576003    | SNAP RING - HO-185             | 1    |                      |
| 2*         | 460021    | BEARING, ROLLER # 6204 2RS     | 2    |                      |
| 3*         | 20842     | SCREW, PAN HD 6-32 X 1/4       | 4    |                      |
| 4*         | 579072    | GROMMET, 1/2" ID               | 1    |                      |
| 5*         | 926917    | PIN, DOWEL 1/4 X 1/2           | 2    |                      |
| 6*         | 37015     | SPACER, FNR PIVOT              | 1    |                      |
| 7 <b>*</b> | 37014     | DISC, FNR FRICTION BRAKE       | 1    |                      |
| 8*         | 37013     | PLATE, FNR ACCESS COVER        | 1    |                      |
| 9*         | 37022     | WELDMENT, FNR HANDLE           | 1    |                      |
| 10*        | 37016     | PLATE, FNR BRAKE               | 1    |                      |
| 11*        | 37091     | SPRING, SMALLEY WAVO RW-0250   | 1    |                      |
| 12*        | 37024     | WELDMENT, FNR SPRING PLATE     | 1    |                      |
| 13*        | 37025     | NUT, HEX FINISH M20-2.5        | 2    |                      |
| 14*        | 37026     | SCREW, HHC M20 X 2.5 X 120     | 1    |                      |
| 15         | 37021     | FNR ASSEMBLY                   | 1    | . INCLUDES ITEMS W/* |
| 16         | 2153      | ROD END                        | 2    |                      |
| 17         | 37136     | CABLE, PUSH PULL 56"           | 1    |                      |
| 18         | 37299     | STANDOFF, PUMP CONTROL         | 1    |                      |
| 19         | 07469-004 | SCREW, SHC 10-32 X 1/2         | 1    |                      |
| 20         | 4683      | SCREW, HHC 5/16 - 18 X 5/8     | 1    |                      |
| 21         | 933241    | WASHER, FLAT SAE 5/16 GRD 9 YZ | 1    |                      |
| 22         | 2203      | WASHER, FLAT #10               | 1    |                      |
| 23         | 10019     | NUT, NYLOC 10-32               | 1    |                      |
| 24         | 3513      | SCREW, HHC 10 - 32 X 1         | 1    |                      |

FUEL ASSY.




# **FUEL ASSY.**

### FUEL ASSY.

| NO. | PART NO.  | PART NAME                       | QTY. | <b>REMARKS</b> |
|-----|-----------|---------------------------------|------|----------------|
| 1   | 0205      | SCREW, HHC 3/8 - 16 X 1.0       | 4    |                |
| 2   | 19473     | CLAMP, WORM HOSE 2"             | 8    |                |
| 3   | 19633     | BUSHING, RUBBER FUEL DAPCO      | 4    |                |
| 4   | 35022     | CLAMP, LOOP CUSHIONED #8        | 1    |                |
| 5   | 29338     | PRIMER BULB 5/16 HOSE BARB      | 1    |                |
| 6   | 29509     | CAP, FUEL TANK                  | 1    |                |
| 7   | 37128     | BALL VALVE, 90 W/SCREEN #5      | 1    |                |
| 8   | 37621     | FUELTANK                        | 1    |                |
| 9   | 37594-353 | MOUNT, FUEL TANK 4030           | 1    |                |
| 10  | 304010    | FILTER, FUEL PRIMARY            | 1    |                |
| 11  | 368006    | FITTING, FUEL 90 DEG            | 3    |                |
| 12  | 933242    | WASHER, FLAT SAE 3/8 GRD 9 YZ   | 6    |                |
| 13  | 60058     | HOSE, 1/4 X 3/8 PVC YELLOW      | 1.2  | SOLD BY FOOT   |
| 14  | 0166      | SCREW, HHC 3/8 - 16 X 7/8       | 2    |                |
| 15  | 37224     | CLIP, FUEL TANK RETAINER        | 2    |                |
| 16  | 0202      | SCREW, HHC 5/16 - 18 X 1.0 ZINC | 2    |                |
| 17  | 933241    | WASHER, FLAT SAE 5/16 GRD 9 YZ  | 2    |                |
| 18  | 35022     | CLAMP, LOOM                     | 1    |                |

### BATTERY ASSY.





TO LIFT PUMP.
SEE HYDRAULIC SYSTEM ASSY.


TO LIFT PUMP SOLENOID (RELAY). SEE ELECTRICAL CONTROL ASSY.

# BATTERY ASSY.

### BATTERY ASSY.

| NO. | PART NO. | PART NAME                                | QTY.           | <b>REMARKS</b> |
|-----|----------|--|----------------|----------------|
| 1   | 0166     | SCREW, HHC 3/8 - 16 X 7/8                | 1              |                |
| 2   | 0655     | SCREW, HHC 5/16 - 18 X 3/4               | 4              |                |
| 3   | 37585    | BOX, BATTERY                             | 1              |                |
| 4   | 37098    | RETAINER, BATTERY HOLD-DOWN              | 1              |                |
| 5   | 37258    | CLIP, BATTERY RETAINER                   | 1              |                |
| 6   | 37284    | SCREW, HHC M14 - 2.0 X 20MM GRD 8.8 PLTD | 1              |                |
| 7   | 37690    | CABLE, POSITIVE BATTERY STARTER          | 1              |                |
| 8   | 37692    | CABLE, POSITIVE BATT. SOLENOID LIFT PUMP | <sup>2</sup> 1 |                |
| 9   | 37699    | CABLE, NEGATIVE BATTERY ENGINE           | 1              |                |
| 10  | 37691    | CABLE, NEGATIVE BATTERY LIFT PUMP        | 1              |                |
| 11  | 37688    | CABLE, POSITIVE BATT. SOLENOID LIFT PUMP | <sup>9</sup> 1 |                |
| 12  | 404006   | BATTERY, EXIDE ORB75DT-84                | 1              |                |
| 13  | 915101   | SCREW, HHC 3/8 - 16 X 1/2 GRD 8          | 2              |                |
| 14  | 933241   | WASHER, FLAT SAE 5/16 GRD 9 YZ           | 4              |                |
| 15  | 933245   | WASHER, FLAT SAE 9/16 GRD 9 YZ           | 1              |                |

HANDLEBARS ASSY.




# HANDLEBARS ASSY.

### HANDLEBARS ASSY.

| NO. | PART NO. | PART NAME                       | QTY. | <b>REMARKS</b> |
|-----|----------|---------------------------------|------|----------------|
| 1   | 560023   | HANDLEBAR ASSY., CONCRETE SAW   | 2    |                |
| 2   | 560017   | GRIP, HANDLEBAR                 | 2    |                |
| 3   | 19977    | KNOB, CLAMP 1/2 - 13 THREAD     | 2    |                |
| 4   | 37589    | SUPPORT, RH SAW HANDLEBAR GUIDE | 1    |                |
| 5   | 37590    | SUPPORT, LH SAW HANDLEBAR GUIDE | 1    |                |

### WATER SYSTEM ASSY.





# WATER SYSTEM ASSY.

### WATER SYSTEM ASSY.

| NO. | PART NO. | PART NAME                                | QTY.  | <b>REMARKS</b> |
|-----|----------|--|-------|----------------|
| 1   | 25827    | FITTING, BRASS (F) 3/4 GHT SWIVEL 1/2 MI | NPT 1 |                |
| 2   | 26496    | FITTING, 90 1/2MP - 1/2FP                | 2     |                |
| 3   | 37311    | BALL VALVE, BRASS 1/2 MNPT X FNPT        | 2     |                |
| 4   | 25607    | FITTING, COUPLING 1/2" NPT               | 2     |                |








# **ENGINE ASSY.**

### ENGINE ASSY.

| NO. | PART NO.  | PART NAME                       | QTY. | <u>REMARKS</u>     |
|-----|-----------|---------------------------------|------|--------------------|
| 1   | 37655     | ENGINE, ASSEMBLY 4030           | 1    | INCLUDES ITEMS W/# |
| 2   | 2299      | SCREW, HHC M8 - 1.25 X 16MM     | 1    |                    |
| 3   | 25591     | WASHER, M8                      | 1    |                    |
| 4   | 10024     | NUT, NYLOC 1/4 X 20             | 2    |                    |
| 5   | 933240    | WASHER, FLAT SAE 1/4 GR 9 YZ    | 2    |                    |
| 6   | 915004    | SCREW, HHC 1/4 - 20 X 7/8       | 2    |                    |
| 7   | 37752     | HEAT SHIELD                     | 1    | SAFETY ITEM        |
| 8   | 37255     | THROTTLE LEVER                  | 1    |                    |
| 9   | 1174696   | FILTER, FUEL DEUTZ              | 1    |                    |
| 10  | 1174416   | FILTER, OIL DEUTZ               | 1    |                    |
| 11# | 21004-003 | V-BELT, AX-35                   | 1    |                    |
| 12  | 37669     | BRACKET, THROTTLE/FNR CABLE     | 1    |                    |
| 13# | 35374     | ENGINE, DEUTZ 30HP BF2L2011     | 1    |                    |
| 14# |           | STARTER                         | 1    |                    |
| 15# |           | BOLT, (BELT ADJUST)             | 1    |                    |
| 16# |           | FLYWHEEL                        | 1    |                    |
| 17  | 35365     | EXHAUST, 4030 EXTENSION         | 1    |                    |
| 18  | 35374     | AIR INTAKE MOUNT AND CAP        | 1    |                    |
| 19  | 29218     | CLAMP, HOSE WORM #48 3.375 DIA. | 2    |                    |

# THROTTLE CONTROL ASSY.




# THROTTLE CONTROL ASSY.

## THROTTLE CONTROL ASSY.

| NO. | PART NO.  | PART NAME                     | QTY. | <b>REMARKS</b> |
|-----|-----------|-------------------------------|------|----------------|
| 1   | 37212     | THROTTLE                      | 1    |                |
| 2   | 37669     | BRACKET, THROTTLE/FNR CABLE   | 1    |                |
| 3   | 37255     | LEVER, THROTTLE               | 1    |                |
| 4   | 933240    | WASHER, FLAT SAE 1/4 GRD 9 YZ | 1    |                |
| 5   | 25624     | SWIVEL, CABLE END W/ WASHER   | 1    |                |
| 6   | 923113    | SCREW, SHC 8 - 32 X 3/8 GRD 8 | 1    |                |
| 7   | 23942-097 | WASHER, M6                    | 2    |                |
| 8   | 12464     | SCREW, HHC M6 - 1.0 X 16MM    | 2    |                |
| 9   | 25634     | BULK HEAD ADAPTOR             | 1    |                |

ENGINE MOUNTS ASSY.




# **ENGINE MOUNTS ASSY.**

## ENGINE MOUNTS ASSY.

| NO. | PART NO.  | PART NAME                             | QTY. | <b>REMARKS</b> |
|-----|-----------|---------------------------------------|------|----------------|
| 1   | 37658     | MOUNT, DEUTZ ENGINE RH                | 1    |                |
| 2   | 37100     | MOUNT, LH ENGINE                      | 1    |                |
| 3   | 37661     | PIN, 4030 ENGINE PIVOT                | 2    |                |
| 4   | 37031     | BEARING, PLAIN 2.000 ULTRASERT UC200  | 2    |                |
| 5   | 37741     | SPACER, 1.00 OD X .75 ID X 1          | 2    |                |
| 6   | 37313     | RING, SPIRAL RETAINING WHM-200        | 2    |                |
| 7   | 37310     | SCREW, HHC M14-2.0 X 40MM GRD 10.9 NP | 6    |                |
| 8   | 37146     | SCREW, HHC M14-2.0 X 35MM GRD 10.9 NP | 2    |                |
| 9   | 913838    | SCREW, HHC 3/4 - 10 X 4 GRD5 ZINC     | 1    |                |
| 10  | 933245    | WASHER, FLAT SAE 9/16 GRD 9 YZ        | 8    |                |
| 11  | 4389      | NUT, HEX 3/4 - 10                     | 1    |                |
| 12  | 16530     | SCREW, HHC 7/16 - 14 X 1              | 2    |                |
| 13  | 933243    | WASHER, FLAT SAE 7/16 GRD 9 YZ        | 2    |                |
| 14  | 37037     | WASHER, ENGINE PIVOT PIN              | 4    |                |
| 15  | 06505-008 | SCREW, HHC 5/8 - 11 X 1.00            | 4    |                |
| 16  | 37166     | PIN, LOWER ENGINE PIVOT               | 1    |                |
| 17  | 37322     | SPRING, CREST-TO-CREST C100-L2        | 1    |                |
| 18  | 37751     | TURNBUCKLE                            | 1    |                |

## LIFTING BALE AND AIR CLEANER ASSY.

LIFTING BALE AND AIR CLEANER ASSY.



## LIFTING BALE AND AIR CLEANER ASSY.

#### LIFTING BALE AND AIR CLEANER ASSY.


| NO. | PART NO. | PART NAME                                 | QTY. | <b>REMARKS</b>   |
|-----|----------|---|------|------------------|
| 1   | 302009   | HOSE, HUMP 3" X 2.75"                     | 1    |                  |
| 2   | 37761    | BRACKET, AIR INTAKE BODY                  | 2    |                  |
| 3   | 940358   | WASHER, FLAT 10.5MM X 20MM ZINC           | 3    |                  |
| 4   | 12832    | WASHER, SNUBBING KORF .148099-1           | 4    |                  |
| 5   | 933244   | WASHER, FLAT SAE 1/2 GRD 9 YZ             | 3    |                  |
| 6   | 16083    | NUT, HEX M12 - 1.75 NO PLATE              | 1    |                  |
| 7   | 29218    | CLAMP, HOSE WORM # 48                     | 2    |                  |
| 8   | 933241   | WASHER, FLAT SAE 5/16 GRD 9 YZ            | 4    |                  |
| 9   | 1665     | SCREW, HHC 3/8 - 16 X 2                   | 4    |                  |
| 10  | 5283     | NUT, NYLOC 5/16 - 18                      | 4    |                  |
| 11  | P772579  | PRIMARY FILTER, DEUTZ BF3L2013            | 1    |                  |
| 12  | P775300  | SAFETY FILTER, DEUTZ BF3L2014             | 1    |                  |
| 13  | 9182     | SCREW, HHC M8 - 1.25 X 45MM               | 3    |                  |
| 14  | 37314    | SCREW, HHC M12 - 1.75 X 100MM TAP BOLT NP | 1    |                  |
| 15  | 37315    | SCREW, HHC M12 - 1.75 X 100MM 10.9 NP     | 1    |                  |
| 16  | 37144    | SPACER, ENGINE LIFTING BRACKET            | 1    |                  |
| 17  | 37663    | FILTER ASSEMBLY ENGINAIRE 2-5 7 VLR 90    | 1    |                  |
| 18  | 575001   | RUBBER ISOLATOR (2-PIECE)                 | 4    |                  |
| 19  | 37664    | MOUNT, 4030 LIFTING BALE/AIR CLEANER      | 1    | . SEE NOTE BELOW |
| 20  | 25791    | BUSHING, AIR INTAKE 2.75 X 3.00           | 1    |                  |



NOTE: TYPE 2 ROPE GUIDE SYSTEM SUPERCEDES TYPE 1 ROPE GUIDE SYSTEM. SEE ILLUSTRATION ON FRONT POINTER ASSY.

## PLATFORM GUARDS/REAR POINTER ASSY.

PLATFORM GUARDS/REAR POINTER ASSY.




# PLATFORM GUARDS/REAR POINTER ASSY.

#### PLATFORM GUARDS/REAR POINTER ASSY.

| NO. | PART NO. | PART NAME                           | QTY. | <b>REMARKS</b> |
|-----|----------|-------------------------------------|------|----------------|
| 1   | 37682    | GUARD, BLADESHAFT PULLEY            | 1    | SAFETY ITEM    |
| 2   | 583091   | STRAP, LOWER BELT GUARD             | 1    |                |
| 3   | 583092   | WASHER, LOWER BELT PROTECTOR        | 1    |                |
| 4   | 933244   | WASHER, FLAT SAE 1/2 GRD 9 YZ       | 4    |                |
| 5   | 3214     | SCREW, HHC 1/2 - 13 X 1-1/4         | 4    |                |
| 6   | 915105   | SCREW, HHC 3/8 - 16 X 1.0 GRD 8     | 1    |                |
| 7   | 110020   | POINTER, REAR SAW                   | 1    |                |
| 8   | 37728    | SHIELD, CONCRETE SLURRY             | 1    |                |
| 9   | 915105   | SCREW, HHC 3/8 - 16 X 1.0 GRD 8     | 3    |                |
| 10  | 933242   | WASHER, FLAT SAE 3/8 GRD 9 YZ       | 6    |                |
| 11  | 37632    | PLATFORM, W/A                       | 1    |                |
| 12  | 37693    | STRIP, SLURRY CONTROL               | 1    |                |
| 13  | 10133    | NUT, NYLOC 3/8 - 16                 | 3    |                |
| 14  | 20982    | SCREW, FHSC 3/8 - 16 X 1-1/2 PLATED | 3    |                |

WHEEL DRIVE ASSY.




# WHEEL DRIVE ASSY.

## WHEEL DRIVE ASSY.

| NO. | PART NO.  | PART NAME                         | QTY. | <b>REMARKS</b> |
|-----|-----------|-----------------------------------|------|----------------|
| 1   | 37647     | MOUNT, WHEEL MOTOR                | 1    |                |
| 2   | 37095     | WHEEL, 12 X 3 TAPERED BORE        | 2    |                |
| 3   | 37044     | BRAKE PAD                         | 2    |                |
| 4   | 37649     | BRAKE PIVOT ROD                   | 1    |                |
| 5   | 37138     | CAP, WHEEL DUST                   | 2    |                |
| 6   | 0655      | SCREW, HHC 5/16 - 18 X 3/4        | 2    |                |
| 7   | 0205      | SCREW, HHC 3/8 - 16 X 1.0         | 8    |                |
| 8   | 3214      | SCREW, HHC 1/2 - 13 X 1-1/4       | 5    |                |
| 9   | 933213    | WASHER, FENDER 5/16 X 1 ZINC      | 2    |                |
| 10  | 37048     | SPRING, 1.125 X .187 X 4 W/EYELET | 2    |                |
| 11  | 23858-001 | EYEBOLT, 3/8 - 16 X 2.0           | 2    |                |
| 12  | 933242    | WASHER, FLAT SAE 3/8 GRD 9 YZ     | 10   |                |
| 13  | 933244    | WASHER, FLAT SAE 1/2 GRD 9 YZ     | 7    |                |
| 14  | 933247    | WASHER, FLAT SAE 3/4 GRD 9 YZ     | 3    |                |
| 15  | 10133     | NUT, NYLOC 3/8 - 16               | 2    |                |
| 16  | 968011    | NUT, HEX FINISH 1/2 - 13          | 2    |                |
| 17  | 19974     | PIN, CLEVIS 1/2 X 1.25            | 3    |                |
| 18  | 966166    | PIN, CLEVIS 3/4 X 2               | 1    |                |
| 19  | 965105    | PIN, COTTER 5/32 X 1-1/2          | 1    |                |
| 20  | 965103    | PIN, COTTER 5/32 X 1              | 3    |                |
| 21  | 37322     | SPRING, CREST TO CREST            | 6    |                |
| 22  | 1456      | NUT, HEX FINISH 3/8 - 16          | 2    |                |

## FRONT AXLE ASSY.




# FRONT AXLE ASSY.

## FRONT AXLE ASSY.

| NO. | PART NO.  | PART NAME                             | QTY. | <u>REMARKS</u>     |
|-----|-----------|---------------------------------------|------|--------------------|
| 1   | 37625     | FRONT AXLE W/A                        | 1    |                    |
| 2   | 933246    | WASHER, FLAT 5/8 SAE GRD9 YZ          | 2    |                    |
| 3   | 06505-008 | SCREW, HHC 5/8 - 11 X 1.00            | 2    |                    |
| 4   | 37132     | WHEEL ASSEMBLY, FRONT                 | 2    | INCLUDES ITEMS W/* |
| 5   | 2621      | FITTING, GREASE ZERK STR 1/4 - 28     | 2    |                    |
| 6   | 26091     | SCREW, SHS 1/4 - 28 X 1/4 CUP POINT   | 4    |                    |
| 7   | 2186      | SCREW, SHC 5/16 - 18 X 2-1/4 PLTD     | 1    |                    |
| 8   | 926064    | SCREW, SQHS CUP POINT 5/16 - 24 X 5/8 | 1    |                    |
| 9   | 5283      | NUT, NYLOC 5/16 - 18                  | 1    |                    |
| 10  | 1162 A    | CAP, GREASE ZERK #2 YELLOW            | 2    |                    |
| 11  | 37040     | BEARING, 1.250" FLANGE                | 2    |                    |
| 12  | 933244    | WASHER, FLAT SAE 1/2 - 13 GD 8        | 8    |                    |
| 13  | 16629     | NUT, NYLOC 12 - 13 GD 8               | 8    |                    |
| 14  | 37260     | PIN, LIFT CYLINDER                    | 1    |                    |
| 15  | 915211    | SCREW, HHC 1/2 - 13 X 2 GRD8 YZ       | 8    |                    |
| 16  | 37138     | CAP, WHEEL DUST                       | 2    |                    |
| 17* | 37131     | WHEEL, 8 X 3 POLYURETHANE             | 2    |                    |
| 18* | 460002    | BEARING, BALL KOYO # 6005 SRS         | 4    |                    |
| 19* | 485002    | SEAL, OIL CR # 28655                  | 2    |                    |
| 20* | 576003    | SNAP RING, - HO-185                   | 2    |                    |

# HYDRAULIC SYSTEM ASSY.

## HYDRAULIC SYSTEM ASSY.




# HYDRAULIC SYSTEM ASSY.

## HYDRAULIC SYSTEM ASSY.

| NO. | PART NO. | PART NAME                             | QTY. | <b>REMARKS</b> |
|-----|----------|---------------------------------------|------|----------------|
| 1   | 37213    | RESERVOIR, 350ML HYDROGEAR            | 1    |                |
| 2   | 306006   | FILTER                                | 1    |                |
| 3   | 25617    | FILTER HEAD, (FILTER MOUNT)           | 1    |                |
| 4   | 37121    | LIFT CYLINDER ASSEMBLY                | 1    |                |
| 5   | 37211    | CYLINDER, BRAKE 2" X 1.5" STROKE      | 1    |                |
| 6   | 37113    | PUMP, 24V DC LIFT HYDROGEAR           | 1    |                |
| 7   | 37104    | PUMP, BDP-6 PC-BGCC-AA1Z-XXXX         | 1    |                |
| 8   | 37056    | MOTOR, WHEEL - HYDROGEAR HGM-15P-7131 | 2    |                |
| 9   | 37923    | NUT, 3/4 - 20 HEX SLOTTED             | 2    |                |
| 10  | 0126     | KEY, WOODRUFF #606 3/16 X 3/4         | 2    |                |

## HYDRAULIC HOSES AND FITTINGS ASSY.




# HYDRAULIC HOSES AND FITTINGS ASSY.

HYDRAULIC HOSES AND FITTINGS ASSY.

| NO. | PART NO. | PART NAME                                 | QTY. | REMARKS |
|-----|----------|---|------|---------|
| 1   | 37282    | HOSE ASSY., #6 LP                         | 1    | <u></u> |
| 2   | 37695    | HOSE ASSY., #4 LP"                        | 1    |         |
| 3   | 37696    | HOSE ASSY., #6 PARFLEX                    | 1    |         |
| 4   | 37697    | HOSE ASSY., #6 PARFLEX                    | 1    |         |
| 5   | 37698    | HOSE ASSY., #4 LP                         | 1    |         |
| 6   | 37700    | HOSE ASSY., #6 LP                         | 1    |         |
| 7   | 37701    | HOSE ASSY., #6-8 LP                       | 1    |         |
| 8   | 37702    | HOSE ASSY., #6-8 LP                       | 1    |         |
| 9   | 37704    | HOSE ASSY., #6 LP                         | 1    |         |
| 10  | 37705    | HOSE ASSY., #4 LP                         | 1    |         |
| 11  | 37708    | HOSE ASSY., #6 LP                         | 1    |         |
| 12  | 37709    | HOSE ASSY., #4 LP                         | 1    |         |
| 13  | 37710    | HOSE ASSY., #4 LP                         | 1    |         |
| 14  | 37711    | HOSE ASSY., #4 HP PARFLEX                 | 1    |         |
| 15  | 37712    | HOSE ASSY., DRIVE MOTOR CROSSOVER         | 1    |         |
| 16  | 11721    | FITTING, STR 6MJ - 6MO                    | 3    |         |
| 17  | 15538    | CLAMP, HOSE WORM #6, 7/16" TO 7/8"        | 2    |         |
| 18  | 21095    | FITTING, STR 4MJ - 4MO                    | 2    |         |
| 19  | 21115    | FITTING, STR 6MJ - 6MO LONG               | 4    |         |
| 20  | 366437   | FITTING, BULKHEAD #4 JIC                  | 2    |         |
| 21  | 367470   | FITTING, STR 4MJ - 6MO                    | 3    |         |
| 22  | 367681   | FITTING, STR MJ - M18MO                   | 1    |         |
| 23  | 368699   | PLUG, 6MO HEX SKT HD                      | 2    |         |
| 24  | 368817   | FITTING, 90 4MJ - 4MO                     | 3    |         |
| 25  | 37400    | FITTING, 6MJ X 6MO - 90LL                 | 1    |         |
| 26  | 37405    | FITTING, 10MO X - 6FO - ST                | 2    |         |
| 27  | 37406    | FITTING, 6MJ X 10MO - ST                  | 2    |         |
| 28  | 37407    | FITTING, 4MJ X 6MO - 90                   | 1    |         |
| 29  | 37825    | COIL, LIFT PUMP VALVE CARTRIDGE           | 1    |         |
| 30  | 1579     | SCREW, HHC 1/4 - 20 X .5                  | 2    |         |
| 31  | 37432    | CLAMP ASSEMBLY, HOSE                      | 1    |         |
| 32  | 37431    | CLAMP ASSEMBLY, HOSE                      | 1    |         |
| 33  | 37433    | CLAMP ASSEMBLY, HOSE                      | 1    |         |
| 34  | 37352    | CLAMP ASSEMBLY, 5/16 HOSE                 | 1    |         |
| 35  | 35022    | CLAMP, LOOP CUSHIONED #8                  | 1    |         |
| 36  | 2621     | FITTING, GREASE ZERK STR 1/4 - 28         | 3    |         |
| 37  | 1162 A   | CAP, GREASE ZERK #2                       | 3    |         |
| 38  | 37110    | VEL. FUSE VALVE, 7/8 DELTA SER. DE-CVF-00 |      |         |
| 39  | 37718    | HOSE AND FITTING KIT 4030                 | 1    |         |
|     |          |   |      |         |

#### FRONT POINTER ASSY.




# FRONT POINTER ASSY.

#### FRONT POINTER ASSY.

| NO. | PART NO. | PART NAME   | QTY. | REMARKS               |
|-----|----------|---|------|-----------------------|
| 1   | 37651    | POINTER   | 1    |                       |
| 2   | 582008   | BUSHING, FLANGE 1.0 OD X .75 ID   | 4    |                       |
| 3   | 500005   | WHEEL, POINTER 6" X 1"  | 1    |                       |
| 4   | 37178    | AXLE, POINTER WHEEL   | 1    |                       |
| 5   | 926006   | SCREW, SQHS CP 1/4 - 20 X1/2  | 2    |                       |
| 6   | 15503    | KNOB, COMFORT GRIP STAR   | 1    |                       |
| 7   | 110038   | SAW POINTER 15" RH FRONT  | 1    |                       |
| 8   | 1456     | NUT, HEX FINISH 3/8 - 16  | 1    |                       |
| 9   | 10133    | NUT, NYLOC 3/8 - 16   | 1    | SEE NOTE BELOW        |
| 10  | 5070 B   |   | 2    |                       |
| 11  | 933247   | WASHER, FLAT SAE 3/4 GRD 9 YZ   |      |                       |
| 12  | 3233     | WASHER, FENDER 1.50 OD X 3/8 ID   | 2    |                       |
| 13  | 37261    |   | 2    |                       |
| 14  | 544002   |   | 1    | SEE NOTE BELOW        |
| 15  | 125043-3 | RETAINER, SAW POINTER CABLE   | 1    | SEE NOTE BELOW        |
| 16  | 540039   | PULLEY, POINTER ROPE<br>WASHER, FLAT SAE 3/8<br>SCREW, HHC 3/8 - 16 X 2 | 1    | SEE NOTE BELOW        |
| 17  | 10136    | WASHER, FLAT SAE 3/8  | 2    | SEE NOTE BELOW        |
| 18  | 1665     | SCREW, HHC 3/8 - 16 X 2   | 1    | SEE NOTE BELOW        |
| 19  | 0205     | SCREW, HHC 3/8 - 16 X 1.0<br>ROPE, POINTER ASSY                         | 1    |                       |
| 20  | 574003   | ROPE, POINTER ASSY  | 1    | INCLUDES BALL & CRIMP |
| 21  | 574002   | CAM CLEAT   | 1    |                       |
| 22  | 15173    | WASHER, FLAT #8   | 2    |                       |
| 23  | 13287    | NUT, NYLOC 8 - 32   | 2    |                       |
| 24  | 923199   | SCREW, SHC 8 - 32 X 1-1/4   | 2    |                       |
| 25  | 37652    | MOUNT, 4030 CAM CLEAT   | 1    |                       |

NOTE: THESE PARTS ARE USED ONLY ON "TYPE 1" ROPE GUIDE SYSTEMS SHOWN IN ILLUSTRATION.

#### BELT DRIVE ASSY.




# BELT DRIVE ASSY.

|   | т |     | DI | ١/ |                    | ۸C  | SS    | /  |
|---|---|-----|----|----|--------------------|-----|-------|----|
| Е |   | ולו | ПI | V  | $\sqsubset \prime$ | 4.> | ו הינ | ۲. |

| NO.      | PART NO.        | PART NAME  | QTY.     | REMARKS                     |
|----------|-----------------|--|----------|-----------------------------|
| 1        | 37001           | PLATE, ENGINE ADAPTER-DEUTZ                                | 1        |                             |
| 3#       |                 | SHAFT, 4030 ENGINE DRIVE-DEUTZ                             | 1        |                             |
| 4        | 37571           | PLATE, PULLEY DRIVE COVER                                  | 1        |                             |
| 5#       |                 | FLANGE, ENGINE DRIVE-DEUTZ                                 | 1        |                             |
| 6#       |                 | FLANGE, 4030 ENGINE DRIVE PULLEY-DEUTZ BELT TENSIONER ASSY | 1        |                             |
| 7        | 37137           |  | 1        | INCLUDES ITEMS W/*          |
| 8        | 37002           | ,  | 1        |                             |
| 9        | 37319           |  | 1        |                             |
| 10       | 37320           |  | 1        |                             |
| 11       | 923201          |  | 8        |                             |
| 12       | 37267           |  | 1        |                             |
| 13       | 21004-003       | ,  | 1        |                             |
| 14       | 37734           | FAN, CW 8" 10 BLADE  | 1        |                             |
| 15       | 582020          | BUSHING, TAPER-LOCK 1615 X 1-1/5                           | 1        | FITS 16", 26"               |
| 15       | 460030          | BUSHING, TAPER-LOCKBUSHING, TAPER-LOCK                     | 1        | FITS 20"                    |
| 15       | 582019          | BUSHING, TAPER-LOCK  | 1        | FITS 30"                    |
| 16       |                 | KEY, 1/2" SQ X 3-1/2"                                      | 1        |                             |
| 17       |                 | KEY, SQUARE 1/8 X 3/4                                      | 1        |                             |
| 18*      | 37266           |  | 1        | 0.4 FET./ ITEM              |
| 19       | 37576           | GUARD, PUMP DRIVE  | 1        | SAFETYTIEM                  |
| 20       | 582012          | BUSHING, QUICK DISCONNECT BLADE SHAFT                      | 2        |                             |
| 21       | 915315          |  | 1        |                             |
| 22       | 915316          |  | 1        |                             |
| 23       | 10138           | ,  | 1        |                             |
| 24       | 926919          | ,  | 1        |                             |
| 25       | 37268           | STUD, 3/8 - 16 X 3 SELF-LOCKING                            | <br>     |                             |
| 26       | 933242          | WASHER, FLAT SAE 3/8 GRD 9 YZ                              | 5<br>4   |                             |
| 27       | 1456            | NUT, HEX FINISH 3/8 - 16                                   | 1        |                             |
| 28       | 37735           |  |          |                             |
| 29<br>30 | 924289<br>10133 |  | 2        |                             |
| 31       | 939978          |  |          |                             |
| 32       | 938422          | SCREW, HHC M10 - 1.0 X 50MM 10.9 NP                        | 8        |                             |
| 33       | 37685           | FLANGE ASSY, 4.375" OUTER BLADE                            |          | 16" 20" 26" 20" RELT DRIVE  |
| 55       | 37003           | TEANGE AGOT, 4.070 GOTEN BEADE                             |          |                             |
| 33       | 37169           | FLANGE ASSY, 5.0" OUTER BLADE                              | ·······  | FITS 30" RELT DRIVE         |
| 00       | 07 100          | TEANGE AGOT, 3.0 GOTET BEADE                               |          |                             |
| 34       | 37675           | FLANGE ASSY, 4.375" INNER BLADE                            | 2        | FITS 16" 20" 26" BELT DRIVE |
| 34       | 37676           | FLANGE ASSY, 5.0" INNER BLADE                              | 22       | FITS 30" BELT DRIVE         |
| 35       | 37577           | BELT, 6G 3 VX 500 OPTIBELT                                 | <u>2</u> | THOOG, BELL BILLYE          |
| 36       | 37574           | PULLEY, 3.6 6G 3V 1615 TAPER                               | 1        | FITS 16" BELT DRIVE         |
| 36       | 540065          | PULLEY, 4.2 6G 3V 2012 TAPER                               |          |                             |
| 36       | 540049          | PULLEY, 4.4 6G 3V 1615 TAPER                               |          |                             |
| 36       | 37575           | PULLEY, 4.75 10G 3V X 2017 TAPER                           |          |                             |
| 37       | 37671           | BLADE SHAFT ASSEMBLY 4030                                  | 1        |                             |
| 38       | 926790          | PIN, DOWEL 3/8 X 1-3/4                                     | 2        |                             |
| 39       | 25992           | SCREW, SHC 12 - 24 X 1/2                                   | 4        |                             |
| 40       | 37834           | SPLINED DRIVE ASSY   | i        | INCLUDES ITFMS W/#          |
| . •      | J. •• .         | J  |          |                             |

DRIVE PULLEY ASSY.




# DRIVE PULLEY ASSY.

## DRIVE PULLEY ASSY.

| NO.          | PART NO. | PART NAME                             | QTY. | <u>REMARKS</u>            |
|--------------|----------|---------------------------------------|------|---------------------------|
| 1*           | 37566    | PULLEY, 3.03 6 3V 4.5 1A              | 1    | FITS 26", 30", BELT DRIVE |
| 1#           | 37570    | PULLEY, 3.7 6 3V 4.5 1A               | 1    | FITS 16", 20" BELT DRIVE  |
| 2*#          | 37567    | SUPPORT, 4030 BEARING                 | 1    |                           |
| 3*#          | 35314    | BEARING, TAPERED ROLLER NSK #320/28XJ | 2    |                           |
| 4 <b>*</b> # | 35315    | SPRING, WAVO SMALLEY RW-0150          | 1    |                           |
| 5*#          | 37568    | FLANGE, 4030 BEARING SUPPORT DRIVE    | 1    |                           |
| 6 <b>*</b> # | 35318    | SEAL, CR 15821                        | 2    |                           |
| 7 <b>*</b> # | 37035    | SCREW, SHC 4-40 X 3/8                 | 4    |                           |
| 8*#          | 915004   | SCREW, HHC 1/4 - 20 X 7/8 GR8 YZ      | 8    |                           |
| 9*#          | 933240   | WASHER, FLAT SAE 1/4 GRD 9 YZ         | 8    |                           |
| 10           | 37565    | DRIVE PULLEY ASSY., 3.03 6 3V 4.5 1A  | 1    | FITS 26", 30", BELT DRIVE |
|              |          |                                       |      | INCLUDES ITEMS W/*        |
| 10           | 37569    | DRIVE PULLEY ASSY., 3.7 6 3V 4.5 1A   | 1    | FITS 16", 20" BELT DRIVE  |
|              |          |                                       |      | INCLUDES ITEMS W/#        |

## BLADE SHAFT ASSY.




# BLADE SHAFT ASSY.

## BLADE SHAFT ASSY.

| NO.        | PART NO.  | PART NAME                          | QTY. | REMARKS            |
|------------|-----------|------------------------------------|------|--------------------|
| 1*         | 37672     | HOUSING, 4030 BLADESHAFT           | 1    |                    |
| 2*         | 37673     | BLADESHAFT, 4000 SERIES            | 1    |                    |
| 3*         | 06502-010 | SCREW, HHC 7/16 - 14 X 1-1/4       | 6    |                    |
| <b>4</b> * | 933243    | WASHER FLAT SAE 7/16 GRD 9 YZ      | 6    |                    |
| 5*         | 421001    | SENSOR, HALL EFFECT SPEED PICKUP   | 1    |                    |
| 6*         | 583026    | DRAIN PLUG, MAGNETIC 1/2 - 20      | 1    |                    |
| 7 <b>*</b> | 577009    | GASKET, DRAIN PLUG                 | 1    |                    |
| 8*         | 25695     | WASHER, SEAL 3/4"                  | 1    |                    |
| 9*         | 25690     | GEAR, SAW BLADE SHAFT SPEED PICKUP | 1    |                    |
| 10*        | 460010    | BEARING, ROLLER KOYO # 7210BGC3    | 2    |                    |
| 11*        | 39460011  | BEARING, BALL KOYO # NU2210RC3     | 1    |                    |
| 12*        | 480006    | SEAL, OIL CR# 28655                | 2    |                    |
| 13*        | 480007    | SEAL, OIL CR- 19599                | 2    |                    |
| 14*        | 485003    | SLEEVE, BLADE SHAFT SEAL           | 2    |                    |
| 15*        | 486001    | WASHER, THRUST 6000 SERIES         | 2    |                    |
| 16*        | 576006    | SNAP RING, VITON # AS-135          | 2    |                    |
| 17*        | 578135    | O-RING, VITON # AS-135             | 2    |                    |
| 18*        | 576007    | SNAP RING, VHO-354                 | 1    |                    |
| 19*        | 925382    | SCREW, KP SHS 1/4 - 20 X 1/2       | 6    |                    |
| 20*        | 969314    | KEY, WOODRUFF 3/16 X 5/8           | 2    |                    |
| 21         | 37671     | BLADESHAFT ASSEMBLY 4030           | 1    | INCLUDES ITEMS W/* |

16", 20", 26" BLADE GUARD ASSY.




# 16", 20", 26" BLADE GUARD ASSY.

16", 20", 26" BLADE GUARD ASSY.

| NO.            | PART NO.  | PART NAME                              | QTY. | REMARKS             |
|----------------|-----------|--|------|---------------------|
| 1*             | 200004    | BLADEGUARD W/A, 16" REAR HALF          | 1    |                     |
| 1#             | 200008    | BLADEGUARD W/A, 20" REAR HALF          | 1    |                     |
| 1\$            | 200010    | BLADEGUARD W/A, 26" REAR HALF          | 1    |                     |
| 2*             | 200003    | BLADEGUARD W/A, 16" FRONT HALF         | 1    |                     |
| 2#             | 200007    | BLADEGUARD W/A, 20" FRONT HALF         | 1    |                     |
| 2\$            | 200009    | BLADEGUARD W/A, 26" FRONT HALF         | 1    |                     |
| 3*#\$          | 582040    | BUSHING, BLADEGUARD HINGE DELRIN       | 1    |                     |
| 4*#\$          | 200019    | FLAP, MUD BLADEGUARD                   | 1    | SAFETY ITEM         |
| 5*#\$          | 37394     | MANIFOLD, WATER SMALL                  | 1    |                     |
| 6*#\$          | 2113      | FITTING, PLUG 1/8MP HEX SKT HD         | 1    |                     |
| 7 <b>*</b> #\$ | 370456    | FITTING, BRASS 6BARB-1/4MP             | 2    |                     |
| 8*#\$          |           | NUT, NYLOC 1/2-13                      | 1    |                     |
| 9*#\$          | 10024     | NUT, NYLOC 1/4-20                      | 3    |                     |
| 10*#\$         | 0131 A    | SCREW, HHC 1/4 - 20 X 3/4              | 1    |                     |
| 11*#\$         | 06503-026 | SCREW, HHC 1/2 - 13 X 3-1/4            | 1    |                     |
| 12*#\$         | 26250     | SCREW, HHC 1/4 - 20 X 1-3/4            | 2    |                     |
| 13*#\$         | 10930     | WASHER, FENDER 1/4 X 1-1/4             | 1    |                     |
| 14*#\$         | 37396     | 3/8" QC MALE                           | 1    |                     |
| 15*#           | 37506     | HOSE, WATER #6 LP, 16", 20" BLADEGUARD | 2    |                     |
| 15\$           | 37508     | HOSE, WATER #6 LP, 26" BLADEGUARD      | 2    |                     |
| 16*#\$         | 22129-001 | PIPE STRAP 3/8                         | 2    |                     |
| 17*#\$         | 1618      | NUT, NYLOC 10-24                       | 2    |                     |
| 18*#\$         | 923144    |  | 2    |                     |
| 19             | 37335     | BLADEGUARD ASSY., 16" STD SYS          | 1    | SAFETY ITEM         |
|                |           |  |      | INCLUDES ITEMS W/*  |
| 19             | 37336     | BLADEGUARD ASSY., 20" STD SYS          | 1    | SAFETY ITEM         |
|                |           |  |      | INCLUDES ITEMS W/#  |
| 19             | 37337     | BLADEGUARD ASSY., 26" STD SYS          | 1    | SAFETY ITEM         |
|                |           |  |      | INCLUDES ITEMS W/\$ |
|                |           |  |      |                     |

30" BLADE GUARD ASSY.



# 30" BLADE GUARD ASSY.

## 30" BLADE GUARD ASSY.

| NO. | PART NO.  | PART NAME                         | QTY. | <u>REMARKS</u>     |
|-----|-----------|-----------------------------------|------|--------------------|
| 1#  | 200012    | BLADEGUARD W/A, 30" REAR HALF     | 1    |                    |
| 2#  | 200011    | BLADEGUARD W/A, 30" FRONT HALF    | 1    |                    |
| 3#  | 582039    | BUSHING, BLADEGUARD HINGE DELRIN  | 1    |                    |
| 4#  | 37395     | MANIFOLD, WATER LARGE             | 1    |                    |
| 5#  | 200019    | FLAP, MUD BLADEGUARD              | 1    | SAFETY ITEM        |
| 6#  | 0131 A    | SCREW, HHC 1/4 - 20 X 3/4         | 1    |                    |
| 7#  | 26250     | SCREW, HHC 1/4 - 20 X 1-3/4       | 2    |                    |
| 8#  | 06503-030 | SCREW, HHC 1/2 - 13 X 3-3/4       | 1    |                    |
| 9#  | 10176     | NUT, NYLOC 1/2-13                 | 1    |                    |
| 10# | 10024     | NUT, NYLOC 1/4-20                 | 3    |                    |
| 11# | 10930     | WASHER, FENDER 1/4 X 1-1/4        | 1    |                    |
| 12# | 370456    | FITTING, BRASS 6BARB-1/4MP        | 2    |                    |
| 13# | 2113      | FITTING, PLUG 1/8MP HEX SKT HD    | 1    |                    |
| 14# | 37396     | 3/8" QC MALE                      | 1    |                    |
| 15# | 1618      | NUT, NYLOC 10-24                  | 2    |                    |
| 16# | 923144    | SCREW, SHC 10-24 X 1/2            | 2    |                    |
| 17# | 22129-001 | PIPE STRAP 3/8                    | 2    |                    |
| 18# | 37509     | HOSE, WATER #6 LP, 30" BLADEGUARD | 2    |                    |
| 19  | 37338     | BLADEGUARD ASSY., 30" STD SYS     | 1    | SAFETY ITEM        |
|     |           |                                   |      | INCLUDES ITEMS W/# |

## TERMS AND CONDITIONS OF SALE — PARTS

# STOW

A DIVISION OF MULTIQUIP INC

#### **PAYMENT TERMS**

Terms of payment for unit sales are 2% 15 days net 30 days from date of invoice unless otherwise specifically stated on our invoice. Parts invoices have terms of net 10 days. **Minimum parts billing is \$15.00 net**.

Applicable discounts will be computed on merchandise value only. Late charges will be assessed at prevailing rates. Cash discounts cannot be taken on current billings if any previously billed amounts are past due.

#### **FREIGHT POLICY**

Freight policy is established to offer customers every advantage possible. Due to bulk freight ratings on some equipment and other shipping considerations, freight policies differ by equipment type. Actual back freight may be charged for shipments originating from other than specified FOB warehouses. **See Freight Policy for details**.

All STOW domestic sales are FOB nearest available designated MQ/STOW warehouse. Export orders are ex-works factory located in Carson, CA or Boise, ID.

Additions to orders already shipped cannot be accepted for freight minimums.

Should STOW elect to make partial shipments of an order originally complying with the "freight allowed" requirements, transportation charges will be absorbed by STOW on any subsequent shipment applying to that order.

All other orders will be shipped collect or prepaid with charges added to the invoice. STOW's responsibility ceases when a signed manifest has been obtained from the carrier, and any claim for shortage or damage must be settled between the consignee and the carrier.

Parts: FOB Carson, California or Boise, Idaho. See Freight Policy for details and additional discounts.

# **Terms and Conditions of Sale STOW Construction Equipment**

#### **DROP SHIPMENTS**

STOW reserves the right to refuse Drop Shipments outside the normal service area of the purchasing dealer.

#### **FIELD WAREHOUSES**

Field Warehouses are currently located in California, Georgia, Idaho, Iowa, and New Jersey

#### SPECIAL EXPEDITING SERVICE

The higher of a \$35.00 surcharge or actual costs will be added to the invoice for special handling, including bus shipments, or in cases where STOW personnel must personally deliver the equipment or parts to the carrier.

#### **RETURNED GOODS POLICY**

Return shipments may be accepted and credit allowed, subject to the following provisions.

- A Returned Material Authorization (RMA) must be approved by STOW prior to shipment. Approvals for returned goods must be with just cause and are at the sole discretion of STOW. A copy of the Authorization must accompany the shipment to the designated Warehouse.
- 2. Parts being returned must be listed as currently supplied on the current parts list.
- 3. Parts must be in new and resalable condition in the original package, with part numbers clearly marked.
- Units and accessories must be current models in the latest price list and in new and resalable condition.
- Special order items are not returnable for credit.
- Credit on returned parts and units will be issued at actual dealer net price at time of purchase less 15% restocking charge.
- All returned shipments are to be made to the STOW designated receiving point, freight prepaid at the sender's expense.

The sender will be notified of any material received that does not meet the above provisions. Such material will be held for 30 days from notification pending instructions. If a reply is not received within 30 days, the material will be returned to the sender at his expense with no credit issued.

## PRICING, REBATES AND SPECIFICATIONS

Every effort will be made to provide adequate notice of changes; however, prices and equipment specifications are subject to change without notice.

Price changes are effective on a specific date and all orders received on or after that date will be billed at the revised price.

Rebates for price reductions and added charges for price increases will not be made for stock in dealer inventory at the time of a price change.

STOW reserves the right to quote and sell direct to Government agencies and to Original Equipment Manufacturer accounts who use our products as integral parts of their own products.

#### LIMITATION OF SELLER'S LIABILITY

STOW shall not be liable hereunder for damages in excess of the purchase price of the item with respect to which damages are claimed and in no event shall STOW be liable for loss of profit or good will or for any other special, consequential or incidental damages.

#### **LIMITATION OF WARRANTIES**

There are no warranties, express or implied, made by STOW. hereunder on Products manufactured or distributed by it except the warranty against defects in material and workmanship on new Products to the original purchaser, as set forth in the STOW New Product Limited Warranty.

Effective: July 15, 2003

**STOW** 

A DIVISION OF MULTIQUIP INC.

Atlanta • Boise • Newark • Quebec, Canada Manchester, UK • Rio de Janeiro, BR • Puebla, MX

#### STOW CONSTRUCTION EQUIPMENT

POST OFFICE BOX 6254 CARSON, CALIFORNIA 90749 310-661-4242 • 877-BUY-STOW FAX: 310-604-9237

E-MAIL: stow@stowmfg.com www.stowmfg.com



## **PARTS MANUAL**

## **HERE'S HOW TO GET HELP**

PLEASE HAVE THE MODEL AND SERIAL NUMBER *ON-HAND* WHEN CALLING

## PARTS DEPARTMENT

800-427-1244 FAX: 800-672-7877 310-537-3700 FAX: 310-637-3284

#### SERVICE DEPARTMENT

800-478-1244 FAX: 310-537-4259

310-537-3700

## TECHNICAL ASSISTANCE

800-478-1244 FAX: 310-631-5032

#### WARRANTY DEPARTMENT

800-421-1244, EXT. 279 FAX: 310-537-1173

310-537-3700, EXT. 279

## SALES DEPARTMENT

310-661-4242 FAX: 310-604-9237

877-289-7869 (877-BUY-STOW)

#### © COPYRIGHT 2008, MULTIQUIP INC.

Multiquip Inc, and the STOW logo are registered trademarks of Multiquip Inc. and may not be used, reproduced, or altered without written permission. All other trademarks are the property of their respective owners and used with permission.

This manual MUST accompany the equipment at all times. This manual is considered a permanent part of the equipment and should remain with the unit if resold.

The information and specifications included in this publication were in effect at the time of approval for printing. Illustrations, descriptions, references and technical data contained in this manual are for guidance only and may not be considered as binding. Multiquip Inc. reserves the right to discontinue or change specifications, design or the information published in this publication at any time without notice and without incurring any obligations.

Your Local Dealer is:



#### **MQ STOW CONSTRUCTION EQUIPMENT**

A DIVISION OF MULTIQUIP INC.
POST OFFICE BOX 6254
CARSON, CA 90749
310-537-3700 • 888-252-MQ STOW [888-252-7869]
FAX: 310-537-1986 • FAX: 800-556-1986

FAX: 310-537-1986 • FAX: 800-556-1986 E-MAIL: MQ STOW@multiquip.com • WWW: stowmfg.com